

General Principles in the Care of the Obese Trauma Patient References

Arbabi, S, et al. The cushion effect. *Journal of Trauma*. 2003; 54(6): 1090-1093.

Arzoumzn, J, et al. Developing a comprehensive bariatric protocol: a template for improving patient care. *MedSurg Nursing*. 2006; 15(1): 21-26.

Augustine, JJ. Heavy subjects. *JEMS*. 2007 Mar; 32(3): 74-6, 78-81, 83-5.

Bansal, V, Conroy, C, Lee, J, et al. Is bigger better? The effect of obesity on pelvic fractures after side impact motor vehicle crashes. *Journal of Trauma*. 2009; 67(4) 709-714.

Bazelmans, C, et al. Is obesity associated with injuries among young people. *European Journal of Epidemiology*. 2004; 19(11): 1037-1042.

Belzberg, H. et al. Effects of age and obesity on hemodynamics, tissue oxygenation, and outcome after trauma. *Journal of Trauma*. 2007; 62(6): 1192-1200.

Bohicchio, GV, et al. Impact of obesity in the critically ill trauma patient: a prospective study. *J ACS*. 2006; 203(4): 533-538.

Brunette, DD. Resuscitation of the Morbidly Obese Patient. *Am J Emer Med*. 2004; 22(1): 40-47.

Bushard, S. Trauma in patient who are morbidly obese. *AORN Journal*. 2002; 76(4): 585-589.

Byrnes, MC, et al. The effect of obesity on outcomes among injured patients. *J Trauma*. 2005; 58(2): 232-237.

Ciesla, DJ, et al. Obesity increases risk of organ failure after severe trauma? *Journal of the American College of Surgeon*. 2006; 203(4): 539-545.

Dargin, J, et al. Emergency department management of the airway in obese adults. *Annals of Emergency Medicine*. 2010; 56(2): 95-104.

Davidson, JE et a. Critical care of the morbidly obese. *Clinical Care Nursing Quarterly*. 2003; 26(2): 105-116.

Deakin, DE, and Baxter, JA. Bariatric trauma, *Trauma* 2010; 12(3): 155-160.

Edwards, RD, et al. Body adipose content in independently associated with a higher risk of organ failure and nosocomial infection in the nonobese patient postinjury. *J Trauma* 2011; 70(2): 292-298.

El Solh, A. Airway management in the obese patient. *Clinical Chest Medicine* 2009; 30(3): 555-568.

Goodell, TT. The obese trauma patient; treatment strategies. *Journal of Trauma Nursing*. 2000; 3(2): 13-18.

Greeleaf, RM, et al. Evaluation and treatment of spinal injuries in the obese patient. *Orthop Clinf North Am*. 2011; 42(1): 85-93.

Hagberg, CA. et al. A retrospective analysis of airway management in obese patients at a teaching institution. *Journal of Clinical Anesthesia* 2009; 21(5): 348-351.

Haricharan, RN, et al. Injury Patterns among obese children involved in motor vehicle collisions. *J Pediatr Surg*. 2009; 44(6): 1218-1222.

Holmberg, TJ, et al. The association between obesity and difficult prehospital tracheal intubation. *Anesth Analg*. 2011; 112(5): 1132-8.

Juvin, P, et al. Difficult Tracheal Intubation is More Common in Obese Than in Lean Patients <http://www.anesthesia-analgesia.org/content/97/2/595>. Accepted April 2003. Accessed November 12, 2012.

Kristensen, MS. Airway management and morbid obesity. *European Society of Anaesthesiology*. 2010; 27(11): 923-927.

Loder, WA. Airway management in the obese patient. *Critical Care Clinics*. 2010; 26(4): 641-646.

Mokhlesi, B, et al. Recent awareness in obesity hypoventilation syndrome. *Chest*. 2007; 132(4): 1-25.

Nelson, JA, et al. The obesity-hypoventilation syndrome and respiratory failure in the acute trauma patient. *Journal of Emergency Medicine*. 2011; 40(4): 67-69.

Neville, AL, et al. Obesity is an independent risk factor in mortality in severely injured blunt trauma patients. *Arch Surgery*; 2004 Sept; 139(9): 983-987.

Newell, MA, et al. Body mass index and outcomes in critically injured blunt trauma patients: weighing the impact. *JACS*. 2007; 204(5): 1056-1061.

Patrick, RW. Morbid obesity: considerations for the EMS provider EMS World Web site, posted January 12, 2011. <http://www.emsworld.com/online/printer.jsp?id=1991> Accessed November 13, 2012.

Rana, AR, et al. Childhood obesity: a risk factor for injuries observed at a level 1 trauma center. *Journal of Pediatric Surgery*. 2009; 44(8): 1601-1605.

Schlundt, DG, et al. BMI and seatbelt use. *Obesity*. 2007; 15(11): 2541-2545.

Serrano, PE, et al. Obesity as a risk factor for nosocomial infections in trauma patients. *J ACS*. 2010. 211(1): 61-67.

Shanbhag, S. et al. Patient positioning in the morbidly obese. *Internet Journal of Anesthesiology*, 2009; 19(1): 1-3.

Shankuan, Z, Layde, PM, Guse E, et al. Obesity and risk for death due to motor vehicle crashes. *American Journal of Public Health*. 2006; 96(4): 734-739.

Tagliaferri, F, Compagnone, C, Yoganandan, N, and Gennarelli, T. Traumatic brain injury after frontal crashes: relationship with body mass index. *Journal of Trauma* .2009,66(3): 727-729

Toevs, CC. Trauma in obese patients. *Critical Care Clinicals*. 2010; 26(4): 689-693.

Trauma Resource Tool: Resource Assessment for Care of the Morbidly Obese Trauma Patient. Washington State Department of Health Office of Emergency Medical Services and Trauma System. April 2006

Twedell, D. Physical assessment of the bariatric person. *J Cont Educ Nurs*.2003; 34(4): 147-148.

Watson, PE, et al. Total body water volumes for adult males and females estimated from simple anthropometric measurements. *Am J Clin Nut*. 1980; 33: 27-39.

Wolf, L. The obese patient in the ED. *AJN*.2008; 108(12): 77-81.

Whitlock, G, et al. Is body mass index a risk factor for motor vehicle driver injury? A cohort study with prospective and retrospective outcomes. *International Journal of Epidemiology*. 2003; 32(1): 147-149.

Winfield, RD. Traditional resuscitative practices fail to resolve metabolic acidosis in morbidly obese patients after severe blunt trauma. *Journal of Trauma*. 2010; 68(2): 317-330.

X, Combes, et al “Out-of-hospital rescue oxygenation and tracheal intubation with the intubating laryngeal mask airway in a morbidly obese patient” *Annals of Emergency Medicine* 2004 Jan 43(1) pp.140-141.

Xiang, H, et al. Obesity and risk of nonfatal unintentional injuries. *American Journal of Preventive Medicine*. 2005; 29(1): 41-45.

Zarzur, BL, et al. Motor vehicle crashes, obesity and seat belt use: a deadly combination? *Journal of Trauma*. 2008; 64(2): 412-419.

Zhu, S, et al. Obesity and risk for death due to motor vehicle crashes. *American Journal of Public Health*. 2006; 94(4): 734-739.

Zigler, MK. Obesity and the trauma patient: challenges and guidelines for care. *Journal of Trauma Nursing*. 2006; 13(1): 22-27

Zuzelo, P. Bariatric patient care BASICS: bias, airway, skin, incontinence, chronicity, and safety. *The Pennsylvania Nurse*. 60(3): 18-19.